INTERNATIONAL HYDROGRAPHIC **ORGANIZATION**

INTERGOVERNMENTAL OCEANOGRAPHIC **COMMISSION (of UNESCO)**

UNDERSEA FEATURE NAME PROPOSAL (Sea NOTE overleaf)

Note: The boxes will expand as you fill the form.

Point Line Polygon Multiple points Multiple lines* Multiple Dombination of geometries*	Name Proposed	Proposed: Raicho Fracture 2				Zone Ocean or Sea:					Philippine Sea, Northwestern Pacific			
Point Line Polygon Multiple points Multiple lines* Multiple Combination of geometries* *Geometry should be clearly distinguished when providing the coordinates below. Lat. (e.g. 63*32.6N) Long. (e.g. 046*21.3W) 22*09N 140*20E 21*34N 139*56E 21*12N 139*47E 20*30N 139*29E 20*01TN 139*11E 19*19N 138*26E Feature Description: Minimum Depth: S400 m Steepness: Dimension/Size: Freature Description: Paracter Zone, Toki Fracture Zone, Parece Vela Rift Fracture Zone Province Charl/Map References: Shown Named on Map/Chart: Within Area of Map/Chart: Within Area of Map/Chart: Within Area of Map/Chart: Within Area of Map/Chart: Discovery Facts: Discovery Data, Including Track Controls: Supporting Survey Data, including Track Controls: Date of Survey: Sound Survey SeaBeam (1993) SeaBeam (1993) SeaBeam (1993) SeaBeam (1993) SeaBeam (1993) Servet Data (1993) Set Date of Discovery (1993) Set Date of Discovery (1993) Set Discovery April 2993 SeaBeam (1993)														
Point Line Polygon Multiple points Multiple lines* Multiple Combination of geometries* *Geometry should be clearly distinguished when providing the coordinates below. Lat. (e.g. 63*32.6N) Long. (e.g. 046*21.3W) 22*09N 140*20E 21*34N 139*56E 21*12N 139*47E 20*30N 139*29E 20*01TN 139*11E 19*19N 138*26E Feature Description: Minimum Depth: \$400 m Steepness: Dimension/Size: Dimension/Size: Freature Description: Paracture Zone, Toki Fracture Zone, Parece Vela Rift Fracture Zone Province Charl/Map References: Shown Named on Map/Chart: Within Area of Map/Chart: Within Area of Map/Chart: Within Area of Map/Chart: Within Area of Map/Chart: Within Area of Map/Chart: Within Area of Map/Chart: Discovery Facts: Discovery Data, Including Track Controls: Sourcey Data, including Track Controls: Sourcey Ship: SV Takuyo (1993, 2001, 2004, 2005) Survey Ship: SV Takuyo (1993, 2001, 2004, 2005) SeaBeam (1993) SeaBeam (1993) SeaBeam (1993) SeaBeam (1993) SeaBeam (1993) Servet Markey Control Shim Selective Availability (1983) GPS without Selective Availability (1993) Estimated Horizontal Accuracy (nm): 0.054 nm (1993)	Geometry that be	est defin	es the fea	ture (Y	/es/No) ·	•								
**Geometry should be clearly distinguished when providing the coordinates below. Lat. (e.g. 63*32.6'N) Long. (e.g. 046*21.3'W) 22*09N 140*20E 21*34N 139*56E 21*12N 139*47E 20*30N 139*29E 20*01N 139*29E 20*01N 138*26E Maximum Depth : 5400 m Steepness : Minimum Depth : Shape : Total Relief : Dimension/Size : Parece Vela Rift, Tancho Fracture Zone, Toki Fracture Zone, Parece Vela Rift Fracture Zone Province Shown Named on Map/Chart: Within Area of Map/Chart: Within Area of Map/Chart: Within Area of Map/Chart: Discovery Facts: Discovery Date: Discovery Date: Discovery Date: Discovery Date: Discovery Cot., Nov, Dec. 1993 April, May, 2001 April, May, 2004 April, May, 2004 April, May, 2004 April, May, 2005 Swy Shope; Sy Takuye (1993), 2001, 2004, 2005) Swy Shope; Sy Takuye (1993), 2001, 2004, 2005) Sounding Equipment: SeaBeam (1993) SaaBeam 2112 (after 2001) Type of Navigation: GPS without Selective Availability (1993) Estimated Horizontal Accuracy (nm): 0.054 nm (1993)	j						Multiple points		Multiple lines				•	
*Geometry should be clearly distinguished when providing the coordinates below. Lat. (e.g. 63*32.6'N) Long. (e.g. 046*21.3'W)		Υ	'es					 			polygo	1115	geometries	
Lat. (e.g. 63°32.6'N) Long. (e.g. 046°21.3'W)	* Geometry shoul			quishe	d when i	prov	viding the coording	⊥ ates	below.					
Coordinates: 22°09N			. ,	T					· · · · · · · · · · · · · · · · · · ·		1 /-	04	10004 27/4/)	
Coordinates:						L		N)						
Coordinates:														
Parece Vela Rift, Tancho Fracture Zone, Toki Fracture Zone, Parece Vela Rift Fracture Minimum Depth: Shape: Dimension/Size:	Coordinator													
Teature Maximum Depth : S400 m Steepness : Minimum Depth : Total Relief : Dimension/Size : Dimension/Size :	Coordinates:													
Peature Description: Maximum Depth : 5400 m Steepness :					i									
Minimum Depth : Shape : Dimension/Size :				L	19°19'N					138°26'E				
Minimum Depth : Shape : Dimension/Size :														
Name	Fastura						400 m							
Associated Features: Parece Vela Rift, Tancho Fracture Zone, Toki Fracture Zone, Parece Vela Rift Fracture Zone Province Shown Named on Map/Chart:					pth :							<u> </u>		
Shown Named on Map/Chart: Shown Unnamed on Map/Chart: Shown Unnamed on Map/Chart: Within Area of Map/Chart: Within Area of Map/Chart: Shown Unnamed on Map/Chart: Shown Unlaw Unla			Total Re	lief :	Dir				Dimen	sion/S	Size :	<u> </u>		
Shown Named on Map/Chart: Shown Unnamed on Map/Chart: Shown Unnamed on Map/Chart: Within Area of Map/Chart: Within Area of Map/Chart: Shown Unnamed on Map/Chart: Shown Unlaw Unla														
Chart/Map References: Shown Named on Map/Chart: Shown Unnamed on Map/Chart: Within Area of Map/Chart: Within Area of Map/Chart:	Associated Features:													
Shown Unnamed on Map/Chart: Within Area of Map/Chart: Within Area of Map/Chart:				<u></u>	Fracture Zone Province									
Shown Unnamed on Map/Chart: Within Area of Map/Chart: Within Area of Map/Chart:														
Reason for Choice of Name (if a person, state how associated with the feature to be named): Discovery Facts: Discovery Date: Discovere (Individual, Ship):														
Reason for Choice of Name (if a person, state how associated with the feature to be named): Discovery Facts: Discovery Date: Discoverer (Individual, Ship):	Chart/Map References:				'									
person, state how associated with the feature to be named): Discovery Facts: Discovery Date: Discovery (Individual, Ship):					Within Area of Map/Chart:									
person, state how associated with the feature to be named): Discovery Facts: Discovery Date: Discovery (Individual, Ship):														
Discovery Facts: Discovery Date: Discovery (Individual, Ship):	Reason for Choice of Name (if a													
Discovery Facts: Discovery Date: Discoverer (Individual, Ship):	! •			he	nearby Oki-no-Tori Shima Island, which includes a "bird" (= "tori") within its name.									
Discoverer (Individual, Ship): Date of Survey: Oct., Nov, Dec. 1993 April, May 2001 April, May, July 2004 Oct., Nov, Dec. 2005 Survey Ship: Supporting Survey Data, including Track Controls: Supporting Survey Data, including Track Controls: Survey Ship: Survey S	feature to be nam	ned):		<u></u>										
Discoverer (Individual, Ship): Date of Survey: Oct., Nov, Dec. 1993 April, May 2001 April, May, July 2004 Oct., Nov, Dec. 2005 Survey Ship: Supporting Survey Data, including Track Controls: Supporting Survey Data, including Track Controls: Survey Ship: Survey S														
Discoverer (Individual, Ship): Date of Survey:	Discovery Facts:													
Supporting Survey Data, including Track Controls: Supporting Survey Data, including Track Controls: April, May, 2001 April, May, July 2004 Oct., Nov, Dec. 2005 Survey Ship: S/V Takuyo (1993, 2001, 2004, 2005) S/V Shoyo (2004, 2005) Sounding Equipment: SeaBeam (1993) SeaBeam 2112 (after 2001) Type of Navigation: GPS with Selective Availability (1993) GPS without Selective Availability (after 2001) Estimated Horizontal Accuracy (nm): 0.054 nm (1993)	DISCOVERY FACIS.				Discoverer (Individual, Ship):									
Supporting Survey Data, including Track Controls: Supporting Survey Data, including Track Controls: April, May, 2001 April, May, July 2004 Oct., Nov, Dec. 2005 Survey Ship: S/V Takuyo (1993, 2001, 2004, 2005) S/V Shoyo (2004, 2005) Sounding Equipment: SeaBeam (1993) SeaBeam 2112 (after 2001) Type of Navigation: GPS with Selective Availability (1993) GPS without Selective Availability (after 2001) Estimated Horizontal Accuracy (nm): 0.054 nm (1993)														
Supporting Survey Data, including Track Controls: Supporting Survey Data, including Track Controls: Supporting Survey Data, including Equipment: Supporting Survey Data, including Equipment: Sounding Equipment: SeaBeam (1993) SeaBeam 2112 (after 2001) Type of Navigation: GPS with Selective Availability (1993) GPS without Selective Availability (after 2001) Estimated Horizontal Accuracy (nm): 0.054 nm (1993)				Ī	Date of	Su	rvey:				Oct., I	Nov, D	ec. 1993	
Supporting Survey Data, including Track Controls: Supporting Survey Data, including Equipment: Sounding Equipment: SeaBeam (1993) SeaBeam 2112 (after 2001) Type of Navigation: GPS with Selective Availability (1993) GPS without Selective Availability (after 2001) Estimated Horizontal Accuracy (nm): Oct., Nov, Dec. 2005 S/V Takuyo (1993, 2001, 2004, 2005) S/V Shoyo (2004, 2005) SeaBeam (1993) SeaBeam 2112 (after 2001) GPS with Selective Availability (after 2001) Estimated Horizontal Accuracy (nm): 0.054 nm (1993)														
Supporting Survey Data, including Track Controls: Supporting Survey Data, including Equipment: Sounding Equipment: Sounding Equipment: SeaBeam (1993) SeaBeam 2112 (after 2001) Type of Navigation: GPS with Selective Availability (1993) GPS without Selective Availability (after 2001) Estimated Horizontal Accuracy (nm): 0.054 nm (1993)														
Supporting Survey Data, including Track Controls: Sounding Equipment: Sounding Equipment: SeaBeam (1993) SeaBeam 2112 (after 2001) Type of Navigation: GPS with Selective Availability (1993) GPS without Selective Availability (after 2001) Estimated Horizontal Accuracy (nm): 0.054 nm (1993)				-	Curvey Chin:									
Track Controls: Sounding Equipment: SeaBeam (1993) SeaBeam 2112 (after 2001) Type of Navigation: GPS with Selective Availability (1993) GPS without Selective Availability (after 2001) Estimated Horizontal Accuracy (nm): 0.054 nm (1993)					Survey Snip:					, , , , , , , , , , , , , , , , , , , ,				
Type of Navigation: SeaBeam 2112 (after 2001) Type of Navigation: GPS with Selective Availability (1993) GPS without Selective Availability (after 2001) Estimated Horizontal Accuracy (nm): 0.054 nm (1993)				ng	Sounding Equipment:									
GPS without Selective Availability (after 2001) Estimated Horizontal Accuracy (nm): 0.054 nm (1993)	Track Controls:						- 4							
(after 2001) Estimated Horizontal Accuracy (nm): 0.054 nm (1993)					Type of Navigation:									
Estimated Horizontal Accuracy (nm): 0.054 nm (1993)														
				-	Estimated Harizontal Assuracy (n==):									
					Estimated Horizontal Accuracy (nm):				rım):					

	Name(s):	JCUFN			
	Date:	August 11, 2011			
	E-mail:	ohara@jodc.go.jp			
Proposer(s):	Organization and Address:	Hydrographic and Oceanographic			
		Department of Japan			
		5-3-1 Tsukiji, Chuo-ku, Tokyo 104-			
		0045, Japan			
	Concurrer (name, e-mail, organization				
	and address):				

Survey Track Spacing:

	This is a response to the actions SCUFN 15/46 and 15/47.
Remarks:	

NOTE: This form should be forwarded, when completed:


a) If the undersea feature is located <u>inside the external limit</u> of the territorial sea:to your "National Authority for Approval of Undersea Feature Names" (see page 2-9) or, if this
does not exist or is not known, either to the IHB or to the IOC (see addresses below);

Supporting material can be submitted as Annex in analog or digital form.


See Fig. 2

b) If at least 50 % of the undersea feature is located <u>outside the external limits</u> of the territorial sea :- to the IHB or to the IOC, at the following addresses :

International Hydrographic Bureau (IHB)
4, Quai Antoine 1er
B.P. 445
MC 98011 MONACO CEDEX
Principality of MONACO
Fax: +377 93 10 81 40
E-mail: info@ihb.mc
Intergovernmental Oceanographic Commission (IOC)
UNESCO
Place de Fontenoy
75700 PARIS
France
Fax: +33 1 45 68 58 12
E-mail: info@ihb.mc
E-mail: info@unesco.org



Fi.g 1. Color shaded bathymetric map of the Raicho, Tancho and Toki Fracture Zones. Contours are in 200 m. The zig-zag lines delineating the features are shown in red.



Fi.g 2. Bathymetric map of the Raicho, Tancho and Toki Fracture Zones. Contours are in 200 m. The zig-zag line delineating the feature is shown in red. The ship track are shown in pink (for surveys in 1993), orange (for surveys in 2001), blue (for surveys in 2004) and purple (for surveys in 2005) lines.