INTERNATIONAL HYDROGRAPHIC ORGANIZATION

INTERGOVERNMENTAL OCEANOGRAPHIC COMMISSION (of UNESCO)

UNDERSEA FEATURE NAME PROPOSAL

(See IHO-IOC Publication B-6 and NOTE overleaf)

Note: The boxes will expand as you fill the form.

Name Proposed:	Tsumi Seamounts	Ocean or Sea:	N/A

Geometry that b	est defines the fea	iture (Yes/No) :				
Point	Line	Polygon	Multiple points	Multiple lines*	Multiple	Combination of
		Yes			polygons	geometries

* Geometry should be clearly distinguished when providing the coordinates below.

	Lat. (e.g. 63°32.6'N)	Long. (e.g. 046°21.3′W)
	27°48.38'N	154°35.30'E
	27°50.26'N	154°35.53'E
	27°50.26'N	154°35.38'E
	27°51.87'N	154°38.04'E
	27°51.59'N	154°40.08'E
	27°50.47'N	154°41.72'E
	27°47.97'N	154°43.06'E
	27°45.87'N	154°43.29'E
	27°43.85'N	154°42.66'E
Coordinates:	27°43.57'N	154°40.55'E
Coordinates.	27°42.67'N	154°39.45'E
	27°40.23'N	154°38.67'E
	27°38.34'N	154°36.79'E
	27°38.06'N	154°35.22'E
	27°38.00'N	154°33.18'E
	27°39.39'N	154°31.77'E
	27°41.48'N	154°32.56'E
	27°44.41'N	154°33.65'E
	27°45.87'N	154°35.22'E
	27°48.38'N	154°35.30'E

Faatura	Maximum Depth:	6,105 m	Steepness :	N/A
Feature	Minimum Depth :	4,545 m	Shape :	Elongated, irregular
Description:	Total Relief :	1,560 m	Dimension/Size :	30 km × 15 km

Associated Features:	Sashiba Seamount	Sashiba Seamount		
	Shown Named on Map/Chart:	Japanese chart #6727 (to be		
Chart/Man Deferences		revised in July 26, 2019)		
Chart/Map References:	Shown Unnamed on Man/Charty			

Shown Unnamed on Map/Chart:

	Within Area of Map/Chart:
Reason for Choice of Name (if a person, state how associated with the feature to be named):	"Tsumi" is the Japanese for "Japanese Sparrowhawk". A series of seamounts and guyots around the nearby Minami-Tori Shima Island (literally, "Southern-Bird Island" in Japanse) have been given bird names.

Discovery Feets	Discovery Date:	Feb. 1999
Discovery Facis:	Discoverer (Individual, Ship):	Japanese survey vessel "Shoyo"

	Date of Survey:	Feb. 1999
	Survey Ship:	Japanese survey vessel "Shoyo"
	Sounding Equipement:	Multibeam echo sounder
Supporting Survey Data, including		Seabeam 2112
Track Controls:	Type of Navigation:	GPS with Selective Availability
	Estimated Horizontal Accuracy, in nautical miles (M):	0.054 nm (100 m)
	Survey Track Spacing:	4 nm
	Supporting material can be submitted as	Annex in analog or digital form.

	Name(s):	JCUFN
	Date:	June 4, 2019
	E-mail:	ico@jodc.go.jp
Proposer(s):	Organization and Address:	Hydrographic and Oceanographic Department, Japan Coast Guard Kasumigaseki 3-1-1, Chiyoda-ku, Tokyo 100-8932, Japan
	Concurrer (name, e-mail, organization and address):	

Domonka	The position of the summit is located in (27°46.16'N, 154°40.02'E).	
Kemarks:		

NOTE: This form should be forwarded, when completed:

- a) If the undersea feature is located inside the external limit of the territorial sea:
 to your "National Authority for Approval of Undersea Feature Names" (see Publication B-6) or, if this does not exist or is not known, either to the IHO or to the IOC (see addresses below);
- b) If at least 50 % of the undersea feature is located <u>outside the external limits</u> of the territorial sea:

- to the IHO or to the IOC, at the following addresses :

International Hydrographic Organization (IHO)	Intergovernmental Oceanographic Commission (IOC)
4b, Quai Antoine 1er	UNESCO
B.P. 445	Place de Fontenoy
MC 98011 MONACO CEDEX	75700 PARIS
Principality of MONACO	France
Fax: +377 93 10 81 40	Fax: +33 1 45 68 58 12
E-mail: info@iho.int	E-mail: info@unesco.org
Web: <u>www.iho.int</u>	Web: http://ioc-unesco.org/




Fig. 1. Bathymetric map of the Tsumi Seamounts. Contours are in 100 m.




Fig. 2. Bathymetric map of the Tsumi Seamounts, shown with track lines. Contours are in 100 m.




Fig. 3. Bathymetric profile across the Tsumi Seamounts.




Fig. 4. 3D image of the Tsumi Seamounts and its vicinity.