# Science and Science Platforms in Antarctica & the Southern Ocean



Stein Tronstad

Norwegian Polar Institute

## Why Antarctica?








## Whaling and Exploring





## Norvegia & al.




Fig. 1. Lars Christensens ekspedisjoners ruter.

#### Science Priorities



- » Underpinning polar aspects of earth system modelling
- » Interactions between the polar and global climate systems
- » Processes influencing the polar ecosystems
- » Ocean circulation and climate
- » Improved models for forecasting


#### Scientific Priorities



- » Marine and polar resources: technology, safety, environmental impacts
- » Geopolitical aspects of polar change
- » Cultural heritage
- » Collaborative management of resources, environment, safety, emergency response
- » Maintain existing observation series and facilities
- » Open access to new and legacy data
- » Improved data coverage

## Stations






## Bouvetøya





## CCAMLR, MEOP






## "Biohydrography"





MEOP-CTD SH dataset : 302175 profiles, 85 deployments, 689 tags



## Tor





## Troll









## **Basal Melting and Calving**




#### **Basal melt:**


3.39 ± 0.64 mm/a GSL

#### Calving:

 $2.99 \pm 0.38$  mm/a GSL




## Ocean eats ice: ongoing rapid change of Pine Island Glacier



## Dronning Maud Land (DML)






MODIS imagery (Scambos et al., 2008, Rem. Sens. Env.)

#### **Narrow Continental Shelf**




#### Short path length from abyssal plains



## DML: Ice Rise Archipelago






First inventory of ice rises/rumples (Moholdt, Matsuoka et al.)

## Stationary Icebergs



Blue dot: Aug-Oct, 2012 Red squares: Aug 2012 – Aug 2013



## Marine Science





## 2017: RV Kronprins Haakon





### Technical details





» Length over all (LOA): 100,0m

» Width: 21,0m

» Draft: 8,0m

» Gross tonnage 9000T

» 4 diesel gensets (A/C) 17MW

2x5MW and 2x3,5MW


» Two (Z-drives) aft 11MW

» Two tunnel thrusters fwd 2,2MW

» DP 2

» DNV-Class: POLAR 10 ICEBREAKER

» PC-3 Year-round operation in second-year ice which may include multi-year ice inclusions.



## Marine Biology


## Z O PSK-POLARINSTIT

#### **Echo Sounders & Sonars**

- Simrad EK 80 Scientific Split Beam Echo Sounders: 18, 38, 70, 120, 200 and 333 kHz with transducers both in drop keels and in arctic tanks in the hull.
- » Simrad ME 70 Scientific Multi Beam Echo Sounder with transducer mounted in drop keel.
- » Simrad MS70 Scientific Multi Beam Sonar with transducer mounted in drop keel.

» Two Simrad SH90 omni-directional fisheries sor lor







#### Multi-beam Bathymetric Echo Sounders

- » Simrad EM710 Medium Depth Bathymetric Multi Beam Echo Sounder (2000m)
- » Simrad EM302 Deep Water Bathymetric Multi Beam Echo Sounder (8000m)











## The most comprehensive acoustic sensor suite on any research vessel. Ever.



- » Kongsberg Topas PS40 Sub Bottom Profiler in hull
- » Two Teledyne Acoustic Doppler Current Profilers (ADCP) 38 and 150 kHz with transducers both in drop keels and in arctic tanks in the hull.
- » Kongsberg EA600 Single Beam Echo Sounder with 12 kHz transducer mounted in "arctic tank" in the hull.








### Other Facilities







- 2D seismic surveying (multichannel)
- » 3D seismic mini system
- » ROV heavy duty
- » AUV (Autonomus Underwater Vehicle)
- » Magnetometer
- » Gravimeter

## Geology Equipment - Coring



#### **Coring systems:**


- Gravity corer (< 5-6 m)
- Calypso coring (ca. 30 m long)
- Surface-subsurface sampling:
  - multicore-box core
  - Vibrocoring (mobile unit) for stiff bottom
- MeBO mobile coring system:(80 m coring)

The MeBO sea floor drill platform launched from R/V Maria S. Merian



## Spring 2016





#### **Data Distribution**





